

According to Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017

LCD Cleaner

Date of compilation: 13/01/2023 Revised: 15/01/2025 Version: 4 (Replaced 3)

SECTION 1: IDENTIFICATION

1.1 Product identifier: LCD Cleaner

Other means of identification:

Not relevant

1.2 Recommended uses and any restrictions on use or supply:

Relevant uses (Consumer use): Multiuse cleaner Relevant uses (Professional users): Multiuse cleaner Relevant uses (Industrial user): Multiuse cleaner

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Supplier's details:

GARDX INTERNATIONAL LTD LAKE HOUSE, 2 PORT WAY, PORT SOLENT, PO6 4TY PORTSMOUTH - UNITED KINGDOM Phone: +44 (0)1243 376426 product@gardx.co.uk www.gardx.co.uk

GardX New Zealand Limited 739 Chapel Road, Howick, Auckland, New Zealand 2145

0800 242 739

1.4 Emergency phone number: PC No. 0800 764 766. CCN: 1012486. For 24/7 multilingual advice for spill, leak, fire, exposure or accident, call

Chemtrec @ +65 3163 8374 or + 64 9 801 0034

SECTION 2: HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture:

Hazardous Substances (Hazard Classification) Notice 2020.:

In accordance with Hazardous Substances (Hazard Classification) Notice 2020, the product is not classified as dangerous.

2.2 Label elements, including precautionary statements:

Hazardous Substances (Hazard Classification) Notice 2020.:

Hazard statements:

Not relevant

Precautionary statements:

P102: Keep out of reach of children.

P280: Wear protective gloves.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment

Additional labeling:

Read label before use

2.3 Other hazards which do not result in classification:

Not relevant

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances:

Not available

3.2 Mixtures:

Chemical description: Tensoactive/s

Components:

Date of compilation: 13/01/2023 Revised: 15/01/2025 Version: 4 (Replaced 3) Page 1/10



According to Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017

LCD Cleaner

Date of compilation: 13/01/2023 Revised: 15/01/2025 Version: 4 (Replaced 3)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

In accordance with Part B: Concentration cut-offs for ingredients in mixtures for purpose of section 3 of Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017, the product contains:

Idei	ntification	Chemical name/Classification		
CVC.	137-16-6	Sodium N-lauroylsarcosinate	<10 %	
CA3.	137-10-0	Acute Tox. 2: H330; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger	\10 /6	
CAS:	157627-86-	Alcohols, C13-15, branched and linear, ethoxylated	<10 %	
CAS.	6	Acute Tox. 4: H302; Aquatic Chronic 3: H412; Eye Dam. 1: H318 - Danger	\10 /6	
CAC.	70 02 1	2-methylpropan-1-ol	<10 %	
CAS:	78-83-1	Eye Dam. 1: H318; Flam. Liq. 3: H226; Skin Irrit. 2: H315; STOT SE 3: H335; STOT SE 3: H336 - Danger	<10 %	
CAC		Copper dinitrate	<10 %	
CAS:	3251-23-8	Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Eye Dam. 1: H318; Ox. Sol. 2: H272; Skin Corr. 1B: H314 - Danger	<10 %	
		Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		
CAS:	55965-84-9	Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1C: H314; Skin Sens. 1A: H317 - Danger	<10 %	

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST-AID MEASURES

4.1 First aid instructions according to each relevant route of exposure;:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

3v inhalation

This product is not classified as hazardous through inhalation,however, it is recommended in case of intoxication symptoms to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or shower the person affected if necessary thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of medical attention and its urgency:

Not relevant

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Information on the appropriate type of extinguishers or fire-fighting agents:

Appropriate type of extinguishers or fire-fighting agents:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Inappropriate type of extinguishers or fire-fighting agents:

Non-applicable

5.2 Advice on specific hazards that may arise from the substance:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Special protective equipment and precautions for fire-fighters:



According to Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017

LCD Cleaner

Date of compilation: 13/01/2023 Revised: 15/01/2025 Version: 4 (Replaced 3)

SECTION 5: FIRE-FIGHTING MEASURES (continued)

Depending on the magnitude of the fire it may be necessary to use full protective clothing and Self Contained Breathing Apparatus. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions from accidental spills and release;:

It is recommended to avoid environmental spillage of both the product and its container.

6.3 Advice on how to contain and clean up a spill or release:

It is recommended:

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers and manage it according to current legislation.

Spillages in water or sea:

Small spillages:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection and treat the waste in accordance with current regulations.

Large spillages:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread and collect the product with suitable mechanical means. Always consult experts before using dispersants and make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 4 ºC



According to Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017

LCD Cleaner

Date of compilation: 13/01/2023 Revised: 15/01/2025 Version: 4 (Replaced 3)

SECTION 7: HANDLING AND STORAGE (continued)

Maximum Temp.: 40 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Occupational exposure limits:

Substances whose workplace exposure standards (WES) have to be monitored in the work environment:

Workplace exposure standards (WES) and biological exposure indices, Edition 12-1:

Identification	Occupational exposure limits		
2-methylpropan-1-ol	TWA	50 ppm	152 mg/m ³
CAS: 78-83-1	STEL		
Copper dinitrate	TWA		0.01 mg/m ³
CAS: 3251-23-8	STEL		

8.2 Engineering controls:

A.- Identification of the specific types of personal protective equipment

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

If the working conditions and/or safety measures adopted do not allow keeping the airborne concentration of the product below the exposure limits (if any) or at acceptable levels (if no exposure limits exist), suitable respiratory protection equipment chosen by a qualified professional should be used.

C.- Specific protection for the hands

Pictogram	PPE	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.062 mm, Conditions of use: Splashing)	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Bodily protection

Pictogram	PPE	Remarks
	Work clothing	Replace before any evidence of deterioration.

CONTINUED ON NEXT PAGE

Date of compilation: 13/01/2023 Revised: 15/01/2025 Version: 4 (Replaced 3) Page 4/10



According to Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017

LCD Cleaner

Date of compilation: 13/01/2023 Revised: 15/01/2025 Version: 4 (Replaced 3)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Pictogram PPE		Remarks
	Anti-slip work shoes	Replace before any evidence of deterioration.

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.

Environmental exposure controls:

To comply with environmental protection regulations, it is recommended to prevent any spillage of the product and its container. For more detailed information, please refer to subsection 7.1.D.

Not relevant *

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on	basic physical	and chemical	properties:
-----	----------------	----------------	--------------	-------------

Appearance:

Physical state at 20 °C:

Appearance:

Colour:

Colour:

Characteristic

Odour threshold:

Not relevant *

Volatility:

Initial boiling point and boiling range: 102 °C

Vapour pressure at 20 °C: 2340 Pa

Vapour pressure at 50 °C: 12330.98 Pa (12.33 kPa)

Evaporation rate at 20 °C: Not relevant *

Product description:

Density at 20 ºC:

Relative density at 20 °C: 0.995 - 1.005 Dynamic viscosity at 20 °C: Not relevant * Kinematic viscosity at 20 ºC: Not relevant * Kinematic viscosity at 40 ºC: Not relevant * Concentration: Not relevant * pH: 6 - 8 (at 100 %) Vapour density at 20 °C: Not relevant * Partition coefficient n-octanol/water 20 ºC: Not relevant * Solubility in water at 20 ºC: Not relevant * Solubility properties: Highly water-soluble Not relevant * Decomposition temperature: Melting point/freezing point: Not relevant *

Flammability:

Flash Point: Non Flammable (>93 °C)

Flammability (solid, gas):

Autoignition temperature:

Lower flammability limit:

Upper flammability limit:

Not relevant *

Not relevant *

Particle characteristics:

*Not relevant due to the nature of the product, not providing information property of its hazards.

CONTINUED ON NEXT PAGE

Date of compilation: 13/01/2023 Revised: 15/01/2025 Version: 4 (Replaced 3) Page 5/10



According to Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017

LCD Cleaner

Date of compilation: 13/01/2023 Revised: 15/01/2025 Version: 4 (Replaced 3)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Median equivalent diameter: Not relevant *

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Not relevant *

Not relevant *

Corrosive to metals:

Not relevant *

Heat of combustion:

Aerosols-total percentage (by mass) of flammable

Not relevant *

components:

Other safety characteristics:

Surface tension at 20 °C:

Refraction index:

*Not relevant *

*Not relevant *

SECTION 10: STABILITY AND REACTIVITY

10.1 Chemical reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 List of conditions to avoid or prevent a hazardous situation:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Information on incompatible substances or materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Precaution	Avoid alkalis or strong bases

10.6 Information on hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2) , carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):



According to Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017

LCD Cleaner

Date of compilation: 13/01/2023 Revised: 15/01/2025 Version: 4 (Replaced 3)

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Acute toxicity: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not relevant

Specific toxicology information on the substances:

Identification	Acute	etoxicity	Genus
Sodium N-lauroylsarcosinate	LD50 oral	>5000 mg/kg	Rat
CAS: 137-16-6	LD50 dermal	>5000 mg/kg	
	LC50 inhalation mist	0.5 mg/L	Rat
Alcohols, C13-15, branched and linear, ethoxylated	LD50 oral	500 mg/kg	
CAS: 157627-86-6	LD50 dermal	>5000 mg/kg	
	LC50 inhalation vapour	>20 mg/L	
2-methylpropan-1-ol	LD50 oral	3350 mg/kg	Rat
CAS: 78-83-1	LD50 dermal	2460 mg/kg	Rabbit
	LC50 inhalation vapour	24.6 mg/L (4 h)	Rat
Copper dinitrate	LD50 oral	>5000 mg/kg	
CAS: 3251-23-8	LD50 dermal	>5000 mg/kg	
	LC50 inhalation dust	>5 mg/L	

CONTINUED ON NEXT PAGE

Date of compilation: 13/01/2023 Revised: 15/01/2025 Version: 4 (Replaced 3) Page 7/10



According to Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017

LCD Cleaner

Date of compilation: 13/01/2023 Revised: 15/01/2025 Version: 4 (Replaced 3)

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	Acute toxic	ity	Genus
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	LD50 oral	64 mg/kg	Rat
CAS: 55965-84-9	LD50 dermal	87.12 mg/kg	Rabbit
	LC50 inhalation gases	>20000 mg/L	
	LC50 inhalation vapour	>20 mg/L	
	LC50 inhalation dust	>5 mg/L	
	LC50 inhalation mist	>5 mg/L	

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

12.1 Ecotoxicity (aquatic and terrestrial):

Acute toxicity:

Identification		Concentration	Species	Genus
Alcohols, C13-15, branched and linear, ethoxylated	LC50	>10 - 100 mg/L (96 h)		Fish
CAS: 157627-86-6	EC50	>10 - 100 mg/L (48 h)		Crustacean
	EC50	>10 - 100 mg/L (72 h)		Algae
2-methylpropan-1-ol	LC50	2030 mg/L (96 h)	Carassius auratus	Fish
CAS: 78-83-1	EC50	1439 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	1250 mg/L (48 h)	Scenedesmus subspicatus	Algae
Copper dinitrate	LC50	0.253 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 3251-23-8	EC50	0.05 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	Not relevant		
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	LC50	>0.001 - 0.01 mg/L (96 h)		Fish
CAS: 55965-84-9	EC50	>0.001 - 0.01 mg/L (48 h)		Crustacean
	EC50	>0.001 - 0.01 mg/L (72 h)		Algae

Chronic toxicity:

Identification	Concentration		Species	Genus
2-methylpropan-1-ol	NOEC	Not relevant		
CAS: 78-83-1	NOEC	20 mg/L	Daphnia magna	Crustacean
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	NOEC	>0.001 - 0.01 mg/L		Fish
CAS: 55965-84-9	NOEC	>0.001 - 0.01 mg/L		Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradability	
2-methylpropan-1-ol	BOD5	0.4 g O2/g	Concentration	100 mg/L
CAS: 78-83-1	COD	2.41 g O2/g	Period	14 days
	BOD5/COD	0.17	% Biodegradable	90 %

12.3 Potential to be bioaccumulative:

Substance-specific information:

Identification	Bioaccumulation potential	
2-methylpropan-1-ol	BCF	3
CAS: 78-83-1	Pow Log	0.76
	Potential	Low

12.4 Mobility in soil:



According to Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017

LCD Cleaner

Date of compilation: 13/01/2023 Revised: 15/01/2025 Version: 4 (Replaced 3)

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Absorption/desorption		Volatility	
2-methylpropan-1-ol	Кос	Not relevant	Henry	Not relevant
CAS: 78-83-1	Conclusion	Not relevant	Dry soil	Not relevant
	Surface tension	2.378E-2 N/m (25 ºC)	Moist soil	Not relevant

Highly water-soluble

12.5 Results of PBT and vPvB assessment:

Not relevant

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Appropriate and achievable disposal methods:

Special precautions to be taken during disposal:

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See epigraph 6.2.

Regulations related to waste management:

Legislation related to waste management:

Consolidated Imports and Exports (Restrictions) Prohibition Order (No 2) 2004

Consolidated Hazardous Substances (Disposal) Notice 2017

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the product in question:

- New Zealand Inventory of Chemicals (NZIoC): Sodium N-lauroylsarcosinate (137-16-6); Alcohols, C13-15, branched and linear, ethoxylated (157627-86-6); 2-methylpropan-1-ol (78-83-1); Copper dinitrate (3251-23-8); Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9); 2-methylisothiazol-3(2H)-one (2682-20-4)
- Substances listed in the Montreal Protocol: Not relevant
- Substances listed in the Rotterdam Convention: Not relevant
- Substances listed in the Stockholm Convention: Not relevant

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

Relevant regulatory requirements:

Health and Safety at Work (Hazardous Substances) Regulations 2017

Health and Safety at Work Act 2015

Consolidated Hazardous Substances (Labelling) Notice 2017

Consolidated Hazardous Substances (Packaging) Notice 2017

Consolidated Hazardous Substances (Hazardous Property Controls) Notice 2017

Consolidated Hazardous Substances (Importers and Manufacturers) Notice 2015

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Schedule: Content and format of safety data sheets (clause 7) of Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017

Texts of the legislative phrases mentioned in section 3:



According to Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017

LCD Cleaner

Date of compilation: 13/01/2023 Revised: 15/01/2025 Version: 4 (Replaced 3)

SECTION 16: OTHER INFORMATION (continued)

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

Hazardous Substances (Hazard Classification) Notice 2020.:

Acute Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled.

Acute Tox. 2: H330 - Fatal if inhaled. Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 4: H302 - Harmful if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage. Flam. Liq. 3: H226 - Flammable liquid and vapour. Ox. Sol. 2: H272 - May intensify fire, oxidiser.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Corr. 1C: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1A: H317 - May cause an allergic skin reaction. STOT SE 3: H335 - May cause respiratory irritation. STOT SE 3: H336 - May cause drowsiness or dizziness.

Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

https://www.epa.govt.nz/

Abbreviations and acronyms:

HSNO Act: Hazardous substances and new organisms Act IMDG: International maritime dangerous goods code IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BCF: Bioconcentration factor

BOD5: 5-day biochemical oxygen demand

LD50: Lethal Dose 50 CL50: Lethal Concentration 50 EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

END OF SAFETY DATA SHEET

Date of compilation: 13/01/2023 Revised: 15/01/2025 Version: 4 (Replaced 3) Page 10/10