

## Stage 2

ate of	compilation: 09/01/2023	Revised: 24/07/2023 Version: 2 (Replaced 1)
SECT	ION 1: IDENTIFICATION OF	THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier:	Stage 2
	Other means of identificatio	n:
	UFI:	2PF0-C0J7-D00J-XX32
1.2	Relevant identified uses of t	he substance or mixture and uses advised against:
	Relevant uses: Water repelle	r; auxiliary product for the automotive; automotive applications. For professional users/industrial user only.
	Uses advised against: All uses	s not specified in this section or in section 7.3
1.3	Details of the supplier of the	e safety data sheet:
	GARDX INTERNATIONAL LTD LAKE HOUSE, 2 PORT WAY, PC PO6 4TY PORTSMOUTH - UNI Phone: +44 (0)1243 376426 product@gardx.co.uk www.gardx.co.uk AUTOMOTOSOL S.R.O RYBNÁ 716/24 PRAHA 1 110 00 CZECH REPUBLIC +420 222 703288	
1.4		er: CNN: 1012486. For 24/7 multilingual advice for spill, leak, fire, exposure, or accident call chemtrec @ +44 2038850382. Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland. Telephone Number: +353 (0)1 809 2166
SECT	ION 2: HAZARDS IDENTIFIC	CATION
2.1	Classification of the substan	
	CLP Regulation (EC) No 1272	/2008:
		has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
	Aquatic Chronic 2: Hazardou Flam. Liq. 3: Flammable liqui STOT RE 1: Specific target org	s to the aquatic environment, long-term hazard, Category 2, H411
~ ~		

### 2.2 Label elements:

## CLP Regulation (EC) No 1272/2008:

Danger



### Hazard statements:

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Flam. Liq. 3: H226 - Flammable liquid and vapour. STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure (Inhalation). STOT SE 3: H336 - May cause drowsiness or dizziness. **Precautionary statements:** 



### Stage 2

Date of compilation: 09/01/2023 Revised: 24/07/2023

Version: 2 (Replaced 1)

### SECTION 2: HAZARDS IDENTIFICATION (continued)

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260: Do not breathe vapours.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER/doctor if you feel unwell.

P501: Dispose of contents and / or containers in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

#### Supplementary information:

EUH066: Repeated exposure may cause skin dryness or cracking.

EUH208: Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

#### Substances that contribute to the classification

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) (CAS: 64742-82-1)

### 2.3 Other hazards:

Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS \*\*

### 3.1 Substance:

Non-applicable

#### 3.2 Mixture:

Chemical description: Wax/es

#### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration		
CAS:	64742-82-1	Hydrocarbons, C9-C12, n	alkanes, isoalkanes, cyclics, aromatics (2-25%) <sup>(1)</sup> Self-classified			
EC: Index: REACH:	919-446-0 Non-applicable 01-2119458049-33-XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Flam. Liq. 3: H226; STOT RE 1: H372; STOT SE 3: H336; EUH066 - Danger	25 - <50 %		
CAS:	92704-41-1	Kaolin, calcined <sup>(2)</sup>	Not classified			
EC: Index: REACH:	296-473-8 Non-applicable 01-2119527779-22-XXXX	Regulation 1272/2008		3 - <10 %		
CAS:	55406-53-6	3-iodo-2-propynyl Butylc	iodo-2-propynyl Butylcarbamate <sup>(1)</sup> ATP ATP06			
EC: Index: REACH:	259-627-5 616-212-00-7 01-2120762115-60-XXXX	Regulation 1272/2008	Acute Tox. 3: H331; Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Sens. 1: H317; STOT RE 1: H372 - Danger	<1 %		
CAS:	101-84-8	Diphenyl ether <sup>(3)</sup> Self-classified				
EC: Index: REACH:	202-981-2 Non-applicable 01-2119472545-33-XXXX	licable Regulation 1272/2008 Aquiatic Acute 1: H400: Aquiatic Chronic 3: H412: Eve Irrit 2: H319 - Warning		<1 %		
CAS:	84-66-2	Diethyl phthalate <sup>(2)</sup>	Not classified			
EC: Index: REACH:	201-550-6 Non-applicable 01-2119486682-27-XXXX	Regulation 1272/2008		<1 %		
CAS:	55965-84-9	Reaction mass of 5-chlore				
Index:	Non-applicable 613-167-00-5 Non-applicable	Regulation 1272/2008	Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1C: H314; Skin Sens. 1A: H317; EUH071 - Danger	<1 %		

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

<sup>(2)</sup> Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

<sup>(3)</sup> Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

#### Other information:

\*\* Changes with regards to the previous version



### Stage 2

Date of compilation: 09/01/2023 Revised: 24/07/2023 Version: 2 (Replaced 1)

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS \*\* (continued) Identification M-factor 3-iodo-2-propynyl Butylcarbamate Acute 10 CAS: 55406-53-6 EC: 259-627-5 Chroni 100 Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Acute CAS: 55965-84-9 EC: Non-applicable Chronic 100 Identification Specific concentration limit Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-% (w/w) >=0.6: Skin Corr. 1C - H314 one (3:1) 0.06<= % (w/w) <0.6: Skin Irrit. 2 - H315 CAS: 55965-84-9 % (w/w) >=0.6: Eve Dam. 1 - H318 EC: Non-applicable 0.06<= % (w/w) <0.6: Eve Irrit. 2 - H319 % (w/w) >=0.0015: Skin Sens. 1A - H317

\*\* Changes with regards to the previous version

#### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

### By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

#### Non-applicable

### **SECTION 5: FIREFIGHTING MEASURES**

### 5.1 Extinguishing media:

#### Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO<sub>2</sub>).

#### Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### Additional provisions:



Date of compilation: 09/01/2023

Version: 2 (Replaced 1)

### SECTION 5: FIREFIGHTING MEASURES (continued)

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Revised: 24/07/2023

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

#### 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

### 6.4 Reference to other sections:

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in Directive 2014/34/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137 / The Dangerous Substances and Explosive Atmospheres Regulations 2002, 2002 No. 2776). Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 4 °C Maximum Temp.: 40 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5



## Stage 2

Date of compilation: 09/01/2023

Version: 2 (Replaced 1)

### SECTION 7: HANDLING AND STORAGE (continue

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

Revised: 24/07/2023

#### 2021 Code of Practice for the Chemical Agents Regulations:

Identification	Occupational exposure limits			
Citral	OEL (8h)	5 ppm		
CAS: 5392-40-5 EC: 226-394-6	OEL (15 min)			
Benzyl acetate	OEL (8h)	10 ppm		
CAS: 140-11-4 EC: 205-399-7	OEL (15 min)			
Diphenyl ether	OEL (8h)	1 ppm	7 mg/m³	
CAS: 101-84-8 EC: 202-981-2	OEL (15 min)	2 ppm	14 mg/m <sup>3</sup>	

### DNEL (Workers):

	Short e	xposure	Long exposure		
Identification		Systemic	Local	Systemic	Local
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64742-82-1	Dermal	Non-applicable	Non-applicable	21 mg/kg	Non-applicable
EC: 919-446-0	Inhalation	570 mg/m³	Non-applicable	330 mg/m <sup>3</sup>	Non-applicable
Kaolin, calcined	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 92704-41-1	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 296-473-8	Inhalation	3 mg/m³	3 mg/m <sup>3</sup>	3 mg/m³	3 mg/m <sup>3</sup>
3-iodo-2-propynyl Butylcarbamate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 55406-53-6	Dermal	Non-applicable	Non-applicable	2 mg/kg	Non-applicable
EC: 259-627-5	Inhalation	0.07 mg/m <sup>3</sup>	1.16 mg/m <sup>3</sup>	0.023 mg/m <sup>3</sup>	1.16 mg/m <sup>3</sup>
Diphenyl ether	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 101-84-8	Dermal	Non-applicable	Non-applicable	25 mg/kg	Non-applicable
EC: 202-981-2	Inhalation	Non-applicable	14 mg/m <sup>3</sup>	59 mg/m³	7 mg/m³
Diethyl phthalate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 84-66-2	Dermal	Non-applicable	Non-applicable	15 mg/kg	Non-applicable
EC: 201-550-6	Inhalation	Non-applicable	Non-applicable	10.56 mg/m <sup>3</sup>	Non-applicable

#### **DNEL (General population):**

	Short e	xposure	Long exposure		
Identification	Systemic	Local	Systemic	Local	
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	Oral	Non-applicable	Non-applicable	21 mg/kg	Non-applicable
CAS: 64742-82-1	Dermal	Non-applicable	Non-applicable	12 mg/kg	Non-applicable
EC: 919-446-0	Inhalation	570 mg/m³	Non-applicable	71 mg/m³	Non-applicable
Diethyl phthalate	Oral	Non-applicable	Non-applicable	0.75 mg/kg	Non-applicable
CAS: 84-66-2	Dermal	Non-applicable	Non-applicable	7.5 mg/kg	Non-applicable
EC: 201-550-6	Inhalation	Non-applicable	Non-applicable	2.6 mg/m <sup>3</sup>	Non-applicable

PNEC:

Identification				
Kaolin, calcined	STP	1400 mg/L	Fresh water	4.1 mg/L
CAS: 92704-41-1	Soil	Non-applicable	Marine water	0.41 mg/L
EC: 296-473-8	Intermittent	25 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable



### Stage 2

### Date of compilation: 09/01/2023 Re

Revised: 24/07/2023 Version: 2 (Replaced 1)

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
3-iodo-2-propynyl Butylcarbamate	STP	0.44 mg/L	Fresh water	0.001 mg/L
CAS: 55406-53-6	Soil	0.005 mg/kg	Marine water	0 mg/L
EC: 259-627-5	Intermittent	0.001 mg/L	Sediment (Fresh water)	0.017 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0.002 mg/kg
Diphenyl ether	STP	10 mg/L	Fresh water	0 mg/L
CAS: 101-84-8	Soil	0.018 mg/kg	Marine water	0 mg/L
EC: 202-981-2	Intermittent	0.005 mg/L	Sediment (Fresh water)	0.093 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0.009 mg/kg
Diethyl phthalate	STP	2 mg/L	Fresh water	0.012 mg/L
CAS: 84-66-2	Soil	0.137 mg/kg	Marine water	0.0012 mg/L
EC: 201-550-6	Intermittent	0.12 mg/L	Sediment (Fresh water)	0.137 mg/kg
	Oral	0.033 g/kg	Sediment (Marine water)	0.0137 mg/kg

### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

In accordance with the order of importance to control professional exposure (Directive 98/24/EC) it is recommended to use localized extraction in the work area as a collective protection measure to avoid exceeding the occupational exposure limits. In case of using personal protective equipment it should have CE marking in accordance with Directive 2016/425/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For additional information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

#### B.- Respiratory protection

Pictogram	PPE	PPE Labelling		Remarks		
Mandatory respiratory tract protection	Filter mask for gases and vapours (Filter type: A2) /		EN 405:2002+A1:2010	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.		

#### C.- Specific protection for the hands

Pictogram	PPE	PPE Labelling		Remarks	
Mandatory hand protection	NON-disposable chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.1 mm, Conditions of use: Normal)		EN ISO 374-1:2016+A1:2018 EN 16523-1:2015+A1:2018 EN ISO 21420:2020	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.	

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

#### D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Face shield		EN 166:2002 EN 167:2002 EN 168:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks	
Mandatory complete body protection	Disposable clothing for protection against chemical risks, with antistatic and fireproof properties		EN 1149-1,2,3 EN 13034:2005+A1:2009 EN ISO 13982-1:2004/A1:2010 EN ISO 6529:2013 EN ISO 6530:2005 EN ISO 13688:2013 EN 464:1994	For professional use only. Clean periodically according to the manufacturer's instructions.	



## Stage 2

Date of compil	ate of compilation: 09/01/2023 Revised: 24/07/2023 Version: 2 (Replaced 1)								
SECTION 8	3: EXPOSURE CO	NTROLS	/PERSONAL PRO	OTECTION (cor	ntinue	ed)			
	Pictogram		PPE Labelling		Labelling CEN Standard			Remarks	
	Mandatory foot protection		CAT III	EN ISO 13287:2020 EN ISO 20345:2011 EN 13832-1:2019		Replace boots at any sign of deterioration.			
F	Additional emerge	ncy meas	ures						
	Emergency mea	isure	Standards		Emergency measure		Standards		
	Emergency shower			ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011		Eyewash stations		DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011	
Env	ironmental exposu		ls.			272.0051 5101015			

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

#### 9.1 Information on basic physical and chemical properties:

Appearance:	
Physical state at 20 ºC:	Liquid
Appearance:	Cream
Color:	Yellowish
Odor:	Pleasant
Odour threshold:	Non-applicable *
Volatility:	
Boiling point at atmospheric pressure:	111 ºC
Vapour pressure at 20 °C:	2219 Pa
Vapour pressure at 50 °C:	11724.54 Pa (11.72 kPa)
Evaporation rate at 20 °C:	Non-applicable *
Product description:	
Density at 20 °C:	Non-applicable *
Relative density at 20 ºC:	0.95 - 0.97
Dynamic viscosity at 20 °C:	20000 - 30000 cP
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	>20.5 mm²/s
Concentration:	Non-applicable *
pH:	Non-applicable *
Vapour density at 20 ºC:	Non-applicable *
Partition coefficient n-octanol/water 20 ºC:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Insoluble in water
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *
Flammability:	
Flash Point:	44 ºC
Flammability (solid, gas):	Non-applicable *
*Not relevant due to the nature of the product, not providing informati	on property of its hazards.



### Stage 2

Date of	compilation: 09/01/2023 Revised: 24/07/2023	Version: 2 (Replaced 1)
SECT	ION 9: PHYSICAL AND CHEMICAL PROPERTIES (	continued)
	Autoignition temperature:	202 ºC
	Lower flammability limit:	Not available
	Upper flammability limit:	Not available
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard classes:	
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 ºC:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	ormation property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

#### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide  $(CO_2)$ , carbon monoxide and other organic compounds.

#### SECTION 11: TOXICOLOGICAL INFORMATION


#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):





ompi	lation: 09/01/2023	Revised: 24/07/2023	Version: 2 (Replaced 1)			
ION :	11: TOXICOLOGICAL	INFORMATION (contin	ued)			
В-	for consumption. For m - Corrosivity/Irritability	ore information see section y: Based on available data, t. For more information sec	the classification criteria are			-
C-	<ul> <li>Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.</li> <li>Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract</li> </ul>					
C	<ul> <li>Contact with the skin hazardous for skin contact</li> <li>Contact with the eyes</li> </ul>	act. For more information	the classification criteria are			
D-	CMR effects (carcinoge	nicity, mutagenicity and to	xicity to reproduction):			
E-	<ul> <li>Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.</li> <li>Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.</li> <li>Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.</li> <li>Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.</li> <li>Sensitizing effects:</li> </ul>					
	<ul> <li>Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.</li> <li>Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.</li> </ul>					
F-	Specific target organ to	xicity (STOT) - single expos	ure:			
G-	Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness. G- Specific target organ toxicity (STOT)-repeated exposure:					
H-	<ul> <li>Specific target organ toxicity (STOT)-repeated exposure: Serious health effects in the case of prolonged inhalation, including death, serious functional disorders or morphological changes of toxicological importance.</li> <li>Skin: Repeated exposure may cause skin dryness or cracking</li> <li>Aspiration hazard:</li> </ul>					
Oth	Based on available data For more information so <b>her information:</b>		are not met. However, it do	es contain substand	ces classified as hazardo	us for this effec
Nor	n-applicable					
Spe	cific toxicology informa	tion on the substances:				
		Identification		Aci	ute toxicity	Genus
Hyc	drocarbons, C9-C12, n-alkanes	s, isoalkanes, cyclics, aromatics (2	2-25%)	LD50 oral	>5100 mg/kg	Rat
CAS	5: 64742-82-1			LD50 dermal	>3160 mg/kg	Rabbit
EC:	919-446-0			LC50 inhalation	>20 mg/L (4 h)	Rat

- CONTINUED ON NEXT PAGE -

LD50 oral

LD50 oral

LD50 oral

LD50 dermal

LC50 inhalation

LD50 dermal

LC50 inhalation

LD50 dermal

LC50 inhalation

1100 mg/kg

2100 mg/kg

Non-applicable

>5000 mg/kg

7940 mg/kg

64 mg/kg 87.12 mg/kg

Non-applicable

0.33 mg/L (4 h)

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

3-iodo-2-propynyl Butylcarbamate

Information on other hazards:

CAS: 55406-53-6

EC: 259-627-5

Diphenyl ether

CAS: 101-84-8

EC: 202-981-2

CAS: 55965-84-9 EC: Non-applicable

11.2

Rat

Rabbit

Rat

Rabbit

Rat

Rabbit

Rat



### Stage 2

Date of compilation: 09/01/2023

Version: 2 (Replaced 1)

### SECTION 11: TOXICOLOGICAL INFORMATION (continued

### Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Revised: 24/07/2023

Other information

#### Non-applicable

### SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Toxic to aquatic life with long lasting effects.

### 12.1 Toxicity:

### Acute toxicity:

Identification	Concentration		Species	Genus
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	LC50	>1 - 10 mg/L (96 h)		Fish
CAS: 64742-82-1	EC50	>1 - 10 mg/L (48 h)		Crustacean
EC: 919-446-0	EC50	>1 - 10 mg/L (72 h)		Algae
3-iodo-2-propynyl Butylcarbamate	LC50	0.07 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 55406-53-6	EC50	0.09 mg/L (96 h)	Mysidopsis bahia	Crustacean
EC: 259-627-5	EC50	0.05 mg/L (72 h)	Scenedesmus subspicatus	Algae
Diphenyl ether	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 101-84-8	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 202-981-2	EC50	>0.1 - 1 mg/L (72 h)		Algae
Diethyl phthalate	LC50	61 mg/L (48 h)	Leuciscus idus	Fish
CAS: 84-66-2	EC50	52 mg/L (48 h)	Daphnia magna	Crustacean
EC: 201-550-6	EC50	Non-applicable		
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1)	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 55965-84-9	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: Non-applicable	EC50	>0.1 - 1 mg/L (72 h)		Algae

### Chronic toxicity:

Identification	Concentration		Species	Genus
3-iodo-2-propynyl Butylcarbamate	NOEC	0.0084 mg/L	Pimephales promelas	Fish
CAS: 55406-53-6 EC: 259-627-5	NOEC	0.0499 mg/L	Daphnia magna	Crustacean
Diethyl phthalate	NOEC	5 mg/L	Cyprinus carpio	Fish
CAS: 84-66-2 EC: 201-550-6	NOEC	25 mg/L	Daphnia magna	Crustacean

## 12.2 Persistence and degradability:

### Substance-specific information:

Identification	Degradability		Biodegradab	ility
Diphenyl ether	BOD5	Non-applicable	Concentration	5.6 mg/L
CAS: 101-84-8	COD	Non-applicable	Period	20 days
EC: 202-981-2	BOD5/COD	Non-applicable	% Biodegradable	76 %
Diethyl phthalate	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 84-66-2	COD	Non-applicable	Period	28 days
EC: 201-550-6	BOD5/COD	Non-applicable	% Biodegradable	88 %

### 12.3 Bioaccumulative potential:

#### Substance-specific information:

Identification	Bioaccumulation potential	
3-iodo-2-propynyl Butylcarbamate	BCF	36
CAS: 55406-53-6	Pow Log	2.4
EC: 259-627-5	Potential	Moderate



### Stage 2

Date of compilation: 09/01/2023

Revised: 24/07/2023 Version: 2 (Replaced 1)

### SECTION 12: ECOLOGICAL INFORMATION (continued)

	Identification		Bioaccumulation potential
Diphenyl ether		BCF	196
CAS: 101-84-8		Pow Log	4.21
EC: 202-981-2		Potential	High
Diethyl phthalate		BCF	117
CAS: 84-66-2		Pow Log	2.07
EC: 201-550-6		Potential	High

#### 12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
Diphenyl ether	Кос	1960	Henry	Non-applicable
CAS: 101-84-8	Conclusion	Low	Dry soil	Non-applicable
EC: 202-981-2	Surface tension	1.753E-2 N/m (258.4 ºC)	Moist soil	Non-applicable
Diethyl phthalate	Кос	Non-applicable	Henry	6.181E-2 Pa·m <sup>3</sup> /mol
CAS: 84-66-2	Conclusion	Non-applicable	Dry soil	No
EC: 201-550-6	Surface tension	3.699E-2 N/m (25 ºC)	Moist soil	No

### 12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

### 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

#### 12.7 Other adverse effects:

Not described

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

### Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EU) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

### SECTION 14: TRANSPORT INFORMATION

### Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:



Date of compilation: 09/01/2023	Revised: 24/07/2023 Version	n: 2 (Replaced 1)
SECTION 14: TRANSPORT INF	ORMATION (continued)	
14.1	UN number or ID number:	UN1993
14.2	UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%))
14.3	Transport hazard class(es):	3
	Labels:	3
14.4	Packing group:	
14.5	Environmental hazards:	Yes
14.6	Special precautions for user	274 601
	Special regulations: Tunnel restriction code:	274, 601 D/E
	Physico-Chemical properties:	see section 9
	Limited quantities:	5 L
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transport of dangerous g	oods by sea:	
With regard to IMDG 40-2	20:	
14.1	UN number or ID number:	UN1993
14.2	UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%))
	Transport hazard class(es):	3
	Labels:	3
14.4	Packing group:	III
14.5	Marine pollutant:	Yes
14.6	Special precautions for user	
	Special regulations:	274, 223, 955
	EmS Codes:	F-E, S-E
	Physico-Chemical properties:	see section 9
	Limited quantities:	5 L
	Segregation group:	Non-applicable
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transport of dangerous g	oods by air:	
With regard to IATA/ICAC	2023:	
14.1	UN number or ID number:	UN1993
	UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%))
14.3	Transport hazard class(es):	3
	Labels:	3
14.4	Packing group:	III
14.5	Environmental hazards:	Yes
14.6	Special precautions for user	
	Physico-Chemical properties:	see section 9
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable

### SECTION 15: REGULATORY INFORMATION \*\*

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 3-iodo-2-propynyl Butylcarbamate, Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

\*\* Changes with regards to the previous version



Date of compilation: 09/01/2023 Revised: 24/07/2023 Version: 2 (Replaced 1)

SECTION 15: REGULATORY INFORMATION \*\* (continued)

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable
Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable
Article 95, REGULATION (EU) No 528/2012: 3-iodo-2-propynyl Butylcarbamate (Product-type 6, 7, 8, 9, 10, 13) ; Reaction mass of 5-chloro-2methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (Product-type 2, 4, 6, 11, 12, 13)
REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable
Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):
Shall not be used in:
—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtraw

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, -tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Contains Octamethylcyclotetrasiloxane, Octamethylcyclotetrasiloxane, Decamethylcyclopentasiloxane. 1. | Shall not be placed on the market in wash-off cosmetic products in a concentration equal to or greater than 0,1 % by weight of either substance, after 31 January 2020. | 2. | For the purposes of this entry, "wash-off cosmetic products" means cosmetic products as defined in Article 2(1)(a) of Regulation (EC) No 1223/2009 that, under normal conditions of use, are washed off with water after application.'

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product. **Other legislation:** 

# Chemicals (Amendment) Act 2010 (No. 32 of 2010) as amended by S.I. No. 623/2015- Safety, Health and Welfare at Work (Chemical Agents) (Amendment) Regulations 2015

Chemicals Act 2008 (No. 13 of 2008)

Safety, Health and Welfare (chemical agents) (amendment) regulations 2021 (S.I. No. 232 of 2021) and associated Code of Practice Chemical Agents Regulations (S.I. No. 619 of 2001)

European Communities (Waste Directive) Regulations, S.I. No. 126 of 2011

S.I. No. 315/2016 - European Union (Waste Directive) (Amendment) Regulations 2016.

S.I. No. 323/2020 - European Union (Waste Directive) Regulations 2020

Chemicals Act (Control of Major Accident Hazards involving Dangerous Substances) Regulations 2015 (S.I. No. 209 of 2015)

The Chemicals Act (CLP Regulation) Regulations 2011 (S.I. No. 102 of 2011)

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

\*\* Changes with regards to the previous version

### SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3):

 $\cdot$  Removed substances

Kaolin (1332-58-7)

Annex: Safe use REGULATORY INFORMATION (SECTION 15):

· Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....)

#### Texts of the legislative phrases mentioned in section 2:

H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

H372: Causes damage to organs through prolonged or repeated exposure (Inhalation).

H226: Flammable liquid and vapour.

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

### CLP Regulation (EC) No 1272/2008:



Date of compilation: 09/01/2023	Revised: 24/07/2023	Version: 2 (Replaced 1)
SECTION 16: OTHER INFORM	ATION (continued)	
Acute Tox. 3: H301 - Toxic Acute Tox. 3: H331 - Toxic Acute Tox. 3: H331 - Toxic Acute Tox. 4: H302 - Harm Aquatic Acute 1: H400 - Ve Aquatic Chronic 1: H410 - Aquatic Chronic 2: H411 - Aquatic Chronic 3: H412 - Asp. Tox. 1: H304 - May be Eye Dam. 1: H318 - Causes Eye Irrit. 2: H319 - Causes Flam. Liq. 3: H226 - Flamm Skin Corr. 1C: H314 - Causes Skin Sens. 1: H317 - May c Skin Sens. 1A: H317 - May c Skin Sens. 1A: H317 - Causes STOT RE 1: H372 - Causes o STOT RE 1: H372 - Causes o STOT SE 3: H336 - May cau	if inhaled. ful if swallowed. ery toxic to aquatic life. Very toxic to aquatic life wit Toxic to aquatic life with lon Harmful to aquatic life with lon Harmful to aquatic life with e fatal if swallowed and enter serious eye damage. serious eye damage. serious eye irritation. hable liquid and vapour. es severe skin burns and eye ause an allergic skin reactio cause an allergic skin reactio damage to organs through p damage to organs through p use drowsiness or dizziness.	th long lasting effects. ng lasting effects. a long lasting effects. ers airways. e damage. on. ion. prolonged or repeated exposure (Inhalation). prolonged or repeated exposure.
STOT SE 3: Calculation met Aquatic Chronic 2: Calculat STOT RE 1: Calculation met Flam. Liq. 3: Calculation m	tion method thod	
interpretation of this safet <b>Principal bibliographical s</b> http://echa.europa.eu	n order to prevent industria y data sheet, as well as the	al risks for staff using this product and to facilitate their comprehension and label on the product.
	c concerning the internation ime dangerous goods code isport Association viation Organisation mand xygen demand for 50 ion 50 rtition coefficient f organic carbon fier	nal carriage of dangerous goods by road

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.