
SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Product Name: GARDXCP Xtreme Anti-Corrosion Spray
- UFI: FS00-V0W2-M00W-08NA

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Metal surface treatment

1.3 Details of the supplier of the safety data sheet

- Name of Supplier: Automotosol s.r.o.
- Address of Supplier: Rybna 716/24, Praha 1, 110 00, Czech Republic
- Telephone: +420 222 703288
- Email: info@automotosol.cz

1.4 Emergency telephone number

- Emergency Telephone: For 24/7 multilingual advice for spill, leak, fire, exposure, or accident call Chemtrec @ 1-800-424-9300 or +442038850382. CNN: 1012486
Republic of Ireland (NPIC): 01 809 2166 (8am – 10pm)
Northern Ireland: 999 or contact GP

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

- Regulation (EC) No 1272/2008
- CLP: Asp. Tox. 1
H304

2.2 Label elements

- Regulation (EC) No 1272/2008



- Signal Word: Danger

Hazard statements

H304 - May be fatal if swallowed and enters airways.

Precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P331 - Do NOT induce vomiting.
P501 - Dispose of contents/container to an authorised waste collection point
P102 - Keep out of reach of children.

SECTION 2: Hazards identification (....)

Supplemental Hazard information (EU): EUH066 - Repeated exposure may cause skin dryness or cracking.

2.3 Other hazards

- No hazard expected under normal conditions of use
-

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Hydrocarbons, C10-13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Concentration: 20-50%

CAS Number: Not applicable

EC Number: 918-481-9

REACH Registration Number: 01-2119456810-40-xxxx

Categories: Asp. Tox. 1

H Statements: H304, EUH066

Acute toxicity estimate: >5000 mg/kg (oral), >5000 mg/kg (dermal), >5000 mg/l/4h (inhalation)

Calcium bis(di C8-C10, branched, C9 rich, alkyl)naphthalenesulphonate)

Concentration: <5%

CAS Number: Not applicable

EC Number: 939-717-7

REACH Registration Number: 01-2119980985-16-xxxx

Categories: Eye Irrit. 2, Skin Irrit. 2

H Statements: H315, H319

Acute toxicity estimate: >2500 mg/kg (oral), >10000 mg/kg (dermal), >9 mg/l/4h (inhalation)

2-(2-butoxyethoxy)ethanol

Concentration: <2.5%

CAS Number: 112-34-5

EC Number: 203-961-6

REACH Registration Number: 01-2119475104-44-xxxx

Categories: Eye Irrit. 2

H Statements: H319

Acute toxicity estimate: >2000 mg/kg (oral), 2764 mg/kg (dermal), >29 mg/l/4h (inhalation)

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine

Concentration: <0.6%

CAS Number: Not applicable

EC Number: 701-177-3

REACH Registration Number: 01-2119488991-20-xxxx

Categories: Skin Irrit. 2, Eye Dam. 1, Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 3

H Statements: H315, H318, H332, H400, H412

M factor: 1

Acute toxicity estimate: 9200 mg/kg (oral), 1.8 mg/l/4h (inhalation)

SECTION 4: First aid measures

4.1 Description of first aid measures

Ingestion

Rinse mouth with water (only if the person is conscious)
Do not induce vomiting because of risk of aspiration into the lungs. If aspiration is suspected obtain immediate medical attention
Seek immediate medical attention

Contact with eyes

If substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes
Remove contact lenses, if present and easy to do. Continue rinsing.
Seek medical attention if ill effects occur

Contact with skin

Remove contaminated clothing
Wash affected area with plenty of soap and water
When in doubt or symptoms persist, seek medical attention

Inhalation

Remove person to fresh air and keep comfortable for breathing.
Seek medical attention if ill effects occur

4.2 Most important symptoms and effects, both acute and delayed

Ingestion

Aspiration hazard
Causes damage to the lungs through repeated or prolonged exposure if inhaled

Contact with eyes

May cause irritation

Contact with skin

May cause irritation

Inhalation

In cases of severe exposure, dizziness, confusion, headache or stupor may develop

4.3 Indication of any immediate medical attention and special treatment needed

- Treat symptomatically

SECTION 5: Firefighting measures

5.1 Extinguishing media

- In case of fire use water spray or fog, alcohol resistant foam, dry chemical or carbon dioxide
- Do not use water jets

5.2 Special hazards arising from the substance or mixture

- In case of fire, do not breathe fumes
- May give off noxious and toxic fumes in a fire

SECTION 5: Firefighting measures (....)

- Vapours are heavier than air and may travel considerable distances to a source of ignition and flashback
- Keep container(s) exposed to fire cool, by spraying with water

5.3 Advice for firefighters

- Shut off all ignition sources
 - Avoid breathing dust/fume/gas/mist/vapours/spray.
 - Wear Positive-Pressure Breathing Apparatus
-

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

- Wear protective clothing as per section 8
- Ensure adequate ventilation
- Do not smoke
- Avoid contact with skin and eyes
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

6.2 Environmental precautions

- Absorb spillage in earth or sand
- Do not allow to enter public sewers and watercourses
- If polluted water reaches drainage systems or water courses, immediately inform appropriate authorities

6.3 Methods and material for containment and cleaning up

- Shut off all ignition sources
- Ensure adequate ventilation
- Contain leaking liquid in earth or sand and remove to safe place when solid
- Absorb spillage in earth or sand
- Disposal should be in accordance with local, state or national legislation

6.4 Reference to other sections

- None
-

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

- Wear protective clothing as per section 8
- Avoid contact with skin and eyes
- Do not breathe fumes
- Keep container tightly closed
- Ensure adequate ventilation
- WARNING: When used as a spray this liquid may be flammable. Do not spray on an open flame or other ignition source.

7.2 Conditions for safe storage, including any incompatibilities

- Opened containers should be carefully resealed and stored in an upright position
- Store above 5 °C
- Store at temperatures not exceeding 40°C/

7.3 Specific end use(s)

- Not available
-

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Hydrocarbons, C10-13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Exposure limit (in house): 171 ppm 1200 mg/m³ (8 hour TWA)

Calcium bis(di C8-C10, branched, C9 rich, alkyl)naphthalenesulphonate)

DNEL (dermal): 10 mg/kg

DNEL (inhalational): 5 mg/m³

2-(2-butoxyethoxy)ethanol

DNEL (inhalational): 67.5 mg/m³

DNEL (dermal): 20 mg/kg (day)

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine

DNEL (oral): 5 mg/kg (day)

DNEL (dermal): 10 mg/kg (day)

DNEL (inhalational): 0.1 mg/m³

8.2 Exposure controls



- Wear suitable protective clothing, including eye/face protection and gloves (nitrile are recommended)
- Ensure adequate ventilation
- Eyewash bottles should be available
- Do not eat, drink or smoke when using this product.

8.3 Environmental exposure controls

- Do not allow to enter public sewers and watercourses
- If contamination of drainage systems or water courses is unavoidable, immediately inform appropriate authorities

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Physical state: liquid
- Colour: amber
- Odour: Characteristic odour
- Melting point/Range: not available
- Freezing point/Range: not available
- Boiling Point/Range: Boiling point: 185 °C to 210 °C
- Flammability: not available
- Lower explosive limit: not available% (in air)
- Upper explosive limit: not available% (in air)
- Flashpoint: >68°C (CC)
- Autoignition Temperature: not available
- Decomposition temperature: not available
- pH: not applicable

SECTION 9: Physical and chemical properties (....)

- Kinematic viscosity: not available mm²/s
- Solubility in water: Insoluble in water
- Partition Coefficient (n-Octanol/Water): not available
- Vapour pressure: not available
- Density: Approx. 0.87 g/cm³ at 25 °C
- Relative vapour density: not available
- Particle characteristics: not available

9.2 Other information

- No information available
-

SECTION 10: Stability and reactivity**10.1 Reactivity**

- No hazardous reactions known if used for its intended purpose

10.2 Chemical stability

- This article is considered stable under normal conditions

10.3 Possibility of hazardous reactions

- No hazardous reactions known if used for its intended purpose

10.4 Conditions to avoid

- Keep away from heat and sources of ignition

10.5 Incompatible materials

- Incompatible with oxidizing substances

10.6 Hazardous decomposition products

- Decomposition products may include nitrogen and carbon oxides
-

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity**

Hydrocarbons, C10-13, n-alkanes, isoalkanes, cyclics, <2% aromatics

LD₅₀ (oral, rat): >2000 mg/kg

LD₅₀ (dermal rabbit) : >2000 mg/kg

LC₅₀ (inhalation, rat): >4951 mg/l/4h

Calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)

LD₅₀ (oral, rat): >2500 mg/kg

LC₅₀ (inhalation) : >9 mg/l/4h

LD₅₀ (dermal rabbit) : >10000 mg/kg

2-(2-butoxyethoxy)ethanol

LD₅₀ (oral, rat): >2000 mg/kg

LCLo (inhalation, rat): >29 ppm /2h

LD₅₀ (dermal rabbit) : 2764 mg/kg

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine

LD₅₀ (oral, rat): 9200 mg/kg

LC₅₀ (inhalation, rat): 1.8 mg/l/4h

SECTION 11: Toxicological information (....)

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking

Serious eye damage/irritation

May cause irritation

Respiratory or skin sensitisation

Based on the available data, the classification criteria are not met

Germ cell mutagenicity

No evidence of mutagenic effects

Carcinogenicity

No evidence of carcinogenic effects

Reproductive toxicity

No evidence of reproductive effects

STOT (specific target organ toxicity) - single exposure

Based on the available data, the classification criteria are not met

STOT (specific target organ toxicity) - repeated exposure

Based on the available data, the classification criteria are not met

Aspiration hazard

Aspiration hazard

Causes damage to the lungs through repeated or prolonged exposure if inhaled

11.2 Information on other hazards

- Not available

SECTION 12: Ecological information

12.1 Toxicity

Hydrocarbons, C10-13, n-alkanes, isoalkanes, cyclics, <2% aromatics

LC₅₀ (rainbow trout): 1000 mg/l (96 hr)

EC₅₀ (Daphnia magna): 1000 mg/l (48 hr)

IC₅₀ (algae): 1000 mg/l (72 hr)

Calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)

LC₅₀ (fish): >0.28 mg/l (96 hr)

EC₅₀ (Daphnia magna): >0.27 mg/l (48 hr)

IC₅₀ (algae): >0.27 mg/l (72 hr)

2-(2-butoxyethoxy)ethanol

LC₅₀ (fish): 1300 mg/l (96 hr)

EC₅₀ (Daphnia magna): >100 mg/l (48 hr)

IC₅₀ (algae): >1995 mg/l (0.5 hr)

SECTION 12: Ecological information (....)

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine

LC₅₀ (golden orfe (*Leuciscus idus*)): 1-10 mg/l (96 hr)

EC₅₀ (*Daphnia magna*): 0.43 mg/l (48 hr)

IC₅₀ (algae): 6.3 mg/l (48 hr)

12.2 Persistence and degradability

- Biodegradable

12.3 Bioaccumulative potential

- Not available

12.4 Mobility in soil

- Not available

12.5 Results of PBT and vPvB assessment

- Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

- Not applicable

12.7 Other adverse effects

- Water Hazard Class: 1 (Company)
-

SECTION 13: Disposal considerations

Do not discharge into drains or the environment, dispose to an authorised waste collection point

Disposal should be in accordance with local, state or national legislation

SECTION 14: Transport information

Not classified as hazardous for transport

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- This Safety Data Sheet is provided in compliance with the EC Regulations 1907/2006, 1272/2008, 2015/830 and 2020/878

15.2 Chemical safety assessment

- Not available
-

SECTION 16: Other information

Text not given with phrase codes where they are used elsewhere in this safety data sheet:-

EUH066: Repeated exposure may cause skin dryness or cracking. H304: May be fatal if swallowed and enters airways. H315: Causes skin irritation. H318: Causes serious eye damage. H319: Causes serious eye irritation. H332: Harmful if inhaled. H400: Very toxic to aquatic life. H412: Harmful to aquatic life with long lasting effects.

DISCLAIMER - Please read carefully as this limits your ability to claim damages.

SECTION 16: Other information (....)

Your use of this product is beyond the control of Marott Graphic Services (UK) Ltd (and our associated companies) ("the Company") and is subject to our standard terms and conditions of sale. The Company shall have no liability to the fullest extent permitted by law for any claims, losses, demands, damages or expenses arising out of or in any way connected with, the possession, use and application of handling, storage, or disposal of this product including but not limited to direct, indirect, incidental or consequential loss or damages, compensatory damages, loss of profit or anticipated savings, whether based on breach or contract or warranty, delict, or tort, product liability or otherwise. Your use of this product will be deemed as your acceptance of this disclaimer. This does not limit in any way our liability by law for death or personal injury caused from our negligence.

--- end of safety datasheet ---
